

WWW.DAEVI.NET

2019

HIGH-QUALITY MASKING PRODUCTS



MARINE



AUTOMOTIVE



DECO



INDUSTRY

daeви

so easy, so near





Daevi Quick Mask offers you, as a professional painter, the most efficient quick and clean protection system.

It consists in a HDPE polyethylene film roll with union of masking tape 80 degrees, which guarantees optimal results without leaving adhesive residue.

Exceptional properties of this polyethylene film allow to be cut without necessity of using any cutting tool, it can be just cut with the fingers. This fact allows a substantial save of time when masking.

There are several sizes available in order for you to choose the most suitable one depending on the area measures you need to mask.

20cm x 25 m, 35cm x 25 m, 100 cm x 25 m, 180 cm x 25 m, 260 cm x 25 m.

Tape width in bigger rolls (100 cm, 120 cm, 180 cm and 260 cm) is 24mm in order to assure better adhesion on large surfaces.

Its carton core designed for being held with one's own finger allows to unroll and apply the film easily.


As film is properly folded, user can handle and carry the roll while he is working. Film roll takes up little space, so it can be put in one's pocket.

Thanks to the outer bag masking film is properly protected against dust or dirtiness avoiding any damage to the electrostatic treatment, which allows that film clings on masked surface.

Packing

7702025	0,20x25m	36 uts	90 boxes
7703525	0,35x25m	20 uts	90 boxes
7706025	0,60x25m	16 uts	90 boxes
7710025	1,00x25m	16 uts	60 boxes
7712025	1,20x25m	16 uts	60 boxes
7718025	1,80x25m	15 uts	60 boxes
8726025	2,60x25m	12 uts	50 boxes

Masking Tape



Up to 80°C



Daevi Quick Mask UV offers you, as a professional painter, the most efficient quick and clean protection system outside.

It consist in a HDPE polyethylene film roll with union of masking tape UV, which guarantees optimal results without leaving adhesive residue.

UV tape is recommended when surfaces to protect are exposed to climate agents or high temperatures (120°) . Waterproof.

No residue left when taking off, until 30 days.

Exceptional properties of this polyethylene film allow to be cut without necessity of using any cutting tool, it can be just cut with the fingers. This fact allow a substantial save of time when masking.

There are several sizes available in order you to choose the most suitable one depending on area measures you need to mask.

20cm x 25 m, 35cm x 25 m, 100 cm x 25 m, 180 cm x 25 m, 260 cm x 25 m.

Its carton core designed for being hold with one's own finger allows to unroll and apply the film easily.

As film is properly folded, user can handle and carry the roll while he is working. Film roll takes up little space, so it can be put in one' s pocket.

Thanks to the outer bag masking film is properly protected against dust or dirtiness avoiding any damage to the electrostatic treatment, which allows that film clings on masked surface.

Packing

UV7702025	0,20x25m	36 uts	90 boxes
UV7703525	0,35x25m	20 uts	90 boxes
UV7706025	0,60x25m	16 uts	90 boxes
UV7710025	1,00x25m	16 uts	60 boxes
UV7712025	1,20x25m	16 uts	60 boxes
UV7718025	1,80x25m	15 uts	60 boxes
UV8726025	2,60x25m	12 uts	50 boxes





Daevi Quick Mask Rice offers you, as a professional painter, the most efficient quick and clean protection system outside.

It consist in a HDPE polyethylene film roll with union of masking tape Rice, which guarantees optimal results without leaving adhesive residue.

Rice tape is recommended when surfaces to protect are exposed to climate agents or high temperatures (180°) . Waterproof.

No residue left when taking off, until 30 days.

Exceptional properties of this polyethylene film allow to be cut without necessity of using any cutting tool, it can be just cut with the fingers. This fact allow a substantial save of time when masking.

There are several sizes available in order you to choose the most suitable one depending on area measures you need to mask.

20cm x 25 m, 35cm x 25 m, 100 cm x 25 m, 180 cm x 25 m, 260 cm x 25 m.

Its carton core designed for being hold with one's own finger allows to unroll and apply the film easily.

As film is properly folded, user can handle and carry the roll while he is working. Film roll takes up little space, so it can be put in one' s pocket.

Thanks to the outer bag masking film is properly protected against dust or dirtiness avoiding any damage to the electrostatic treatment, which allows that film clings on masked surface.

Packing

RI7702025	0,20x25m	36 uts	90 boxes
RI7703525	0,35x25m	20 uts	90 boxes
RI7706025	0,60x25m	16 uts	90 boxes
RI7710025	1,00x25m	16 uts	60 boxes
RI7712025	1,20x25m	16 uts	60 boxes
RI7718025	1,80x25m	15 uts	60 boxes
RI8726025	2,60x25m	12 uts	50 boxes





MAXPRO Temporary protection for all kind of surfaces during any working process.

Anti-slip, breathable, humidity and rot resistant, sprayed with especial soft adhesive - no residue left, easy to remove .

Masking tape is not required when protective bobbin is placed on the floor .

Two versions available (White and Blue) depending on use purposes. Blue bobbin offers especial care to delicate surfaces and proper breathing.

Applications

- Temporal protection for all kind of surfaces during any working process.
- Thanks to light breathing features, this material allows to be used on any kind of floor, even if it has been just layed.
- Because of its no-slip features, work is done in safe Surface always remains smooth without creases. Once placed, it clings to the surface to protect avoiding sliding or creases.
- Masking tape is not required when protective bobbin is placed on the floor.
- Easy to remove. It does not leave adhesive residue. Reusable.

Packing

2310025	Blue bobbin 1x25mts
2310050	Blue bobbin 1x50mts
2410025	White bobbin 1x25mts
2410050	White bobbin 1x50mts

Features

- Manageable and easy to cut.
- Reusable
- Waterproof, break and shock resistant.
- Odorless.
- Recyclable.



Professional cutter recommended



Paintex

Sweatshirt with an hood coverall, double way zipper and protective flap and stitched seams. Elasticated waist, hood, wrists and ankles.

Features

- Highly breathable.
- Resistant to abrasion.
- Waterproof to paint splashes.

Colour: Light Grey.

Available sizes: S-M-L-XL-XXL

Reference B3330761



Secutex

Coverall waterproof protection to solid particles and limited intensity chemical splashes

Protection against radioactive contamination and biological agents.

Features

- Antistatic
- Waterproof

Colour: White

Available sizes: S-M-L-XL-XXL

References B3330444



Paintex

2 pieces

Sweatshirt with an hood coverall, double way zipper and protective flap and stitched seams. Elasticated waist, hood, wrists and ankles.

Features

- 2 pieces: jacket and pants.
- Highly breathable.
- Resistant to abrasion.
- Waterproof to paint splashes.

Colour: Light Grey.

Available sizes: S-M-L-XL-XXL

Reference B3330761



Tritex

Elasticated waist, hood, wrists and ankles.

Features

- Repellent to chemical products.
- Highly breathable.
- Waterproof

Colour: White

Available sizes: S-M-L-XL-XXL

References B3330755

Packing

Paintex	25 units/box
Paintex 2 pieces	50 units/box
Secutex	25 units/box
Tritex	25 units/box



Standard Fine Dust Mask

Protection against solid and liquid particles.
Protection Factor 12xTLV.



Fine dust Mask with activated carbon

FFP2 NR Fine dust Mask with activated carbón filter and exhalation valve.



Face Mask with valve

Protection against solid and liquid particles.
Protection Factor 50xVLA



Elipse Re-usable Mask

Innovative design, compact profile, Replaceable filters, Hypo-allergenic materials for a unique kind of comfort, HEPA efficiency protection, low breathing resistance.



Reinforced overshoes

Antistatic and anti-slip overshoes in Secutex® fabric, with elastic band at the ankles and PVC sole (approx. 36 cm)

Reinforced sole with 3 threads stitch.

Colour: White

Features

- Manageable and easy to wear.
- Reusable.
- Waterproof
- Recyclable.

Packing

B3330254

100 pairs/box



Nitrile

Disposable nitrile gloves, powder free.

Features

Colour: Blue.

Form: Ambidextrous.

Surface: Micro-rough.

100 units/box.

Sizes: S, M, L, XL

Reference B3330580



Vinile

Vinyl gloves powder free, non-sterile.

Features

Colour: Semitransparent
Form: Ambidextrous

These gloves do not offer protection against hazardous and aggressive substances.

100 units/box.

Sizes: S, M, L, XL

Reference B3330555



Latex

Latex gloves, non-sterile

Features

Powder free or with powder options available.

Form: Ambidextrous

These gloves do not offer protection against hazardous and aggressive substances.

100 units/box

Colour: White

Sizes: S, M, L, XL

Reference B3330559

Packing

Nitrile	100 units/box
Vinile	100 units/box
Latex	100 units/box



Abrasive PAPER disc TSAR

T150040-T150500


Paper backing
150mm—15 holes
Grit from 40 to 500



Abrasive FILM disc TSAR

T550060-T552000

Film backing
150mm—15 holes
Grit from 60 to 2000



Abrasive Sponge double-side TSAR PREMIUM

Exceptional flexibility makes it perfect for hand sanding. Grit available:

Fine	T600190
Superfine	T600191
Microfine	T600192



Abrasive Sponge double-side TSAR STANDARD

Grit available:

Medio	T600187
Fino	T600188
Superfino	T600189



Abrasive roll TSAR PREMIUM

115mmx25m **T600530-T600542**
Grits from 60 to 320



Abrasive roll TSAR

115mmx25m **T600530-T600542**
Grits from 40 to 240



Seat Cover

Film 18 microns
3310118

Film 25 microns
3310125

125 x 850cm

Customizable
(optional, according to quantity)

Bobbin of 250 units



Floor paper mat

3310040

Absorbent paper 80gr.
45 x 55cm.

Customizable
(optional, according to quantity)

Packet of 500 units




Emergency brake

cover

3310042

Elastic standard size

1 box / 500units



Cover gearshift

3310041

Elastic standard size

1 box / 500units



Steering Wheel Film

3310055

With revolving handle

12,5cm x 200mts

1 box / 10 rolls + handle



Elastic Steering Wheel cover

3310056

Standard Size.

1 box / 250 units.



Wheel Cover

3310004

Made from film and elastic

1 kit / 4 covers



Mudguard cover

3310005/6

UIT magnet, pvc/foam

65 x 110cm.

1 box / 25 units

Wall display 3310096

Colours: black, red, grey, blue and green.

Customizable *(optional, according to quantity)*

Dispensation: 1 roll of Seat cover, 1 packet of floor mat, 1 roll of Steering Wheel Cover.




Mobile display

3310097

With advertising panel
Dispensation: 1 roll seat cover,

1 roll floor paper mat, and several boxes

MAKAPRO



MAKAPRO Adhesive temporal protective film to protect any kind of surface against scratches, dust or damage during storage, handling or transport.

Product is tailored made according to user's needs.

Width size made under request. Length : 150-200 meters.

Self-adhesive film for surface temporal protection

Product tailored made according to environmental agents (interior / exterior) and kind of surface to protect.

Under your request we supply the proper version for:

- fabric surfaces, fitted carpet, upholstery
- porous surfaces, wood, timber
- plane non-porous surfaces, glass, windows, metal, ...

We can make the size you required.



Professional cutter recommended

HEATCOVER



Shrink-wrap cover HEATCOVER gives protection during yacht, car, train, helicopter transport and winter storage and creates a proper sheeting structure for painting and refit projects.

What benefits does HEATCOVER system provide?

- Extra-widht size available, until 16 meters. It is possible to cover large transport elements applying only one sheet.
- Bidirectional contraction. Total encapsulation, being kept smooth and tense both horizontally and vertically. Keeping the film tense for long time.
- Easy and complete sealing. Adaptable to heterogeneous surfaces.
- Flexible and multi-purpose film as temporary refit or paint shelter, prevention against environmental elements during transport and storage.
- High UV protection
- Long life durability: 18-24 months, if film has no damages.
- Excellent mechanical resistance and tear strenght.
- High cost-efficiency. Lower investment with respect to the use of canvas covers.

HEATCOVER BOATS

8x50mts 200 microns

12x50mts 200 microns

HEATCOVER ESTRUCTURES

Special flame-retardant

In compliance to European regulation **UNE-EN 13501-1**. And reaction to fire classification is **B,s1,d0**.

(*Resistance of the material to a direct flame, no smokes generated when exposed to fire, no drops in incandescent flame when the film is exposed to the fire .*)

12x50mts 200 microns



IS POLISH
immaculate surfaces

IS POLISH is suitable for all metal surfaces.

IS POLISH brings back the shine of boat metal elements. Formulated to be easy to use.

Neither the dirt, nor the dampness nor the saltpeter will stick to the brilliant treated surfaces with IS Polish, that brings Immaculate Surfaces.

Compatible with stainless steel, bronze, aluminium, brass and zamak.

Features:

- Specially developed for metal and chrome maintenance
- Bluish colour contributes to a more lasting sparkle effect.
- Smooth texture for an easy application.
- Citric fragrance for an agreeable application.
- Without contaminant solvents or silicone.
- User-friendly and easy to store
- Great performance only with a small quantity of product.
- Application choice: by hand or with polishing machine.

Polish Made in Barcelona

PACKING 1 liter: 6 bottles per box

½ liter: 12 bottles per box



Let's talk!



@Daevi.net



@Daevi_qm



daevinet



Daevi



Daevi SL

C/Granollers, 1-3 N.4

08170 Montornes del Valles

Barcelona - SPAIN



www.daevi.net



info@daevi.net



+34 687 718 681